



Crafc Duckbill

PN# 50270

Use with Super Shot Melter wands to prevent dripping of material.



Crafc Sealing Foot / Flush

Used for random asphalt and concrete cracks.

PN# 27154 - Sealing tip/ft assembly 1/4" flush

PN# 27155 - Sealing tip/ft assembly 3/8" flush



Crafc Sealing Foot / Protruded

Use for straight asphalt and concrete joints.

PN# 27159 - Sealing tip/ft assembly 1/4" protruding

PN# 27160 - Sealing tip/ft assembly 3/8" protruding



Crafc Joint Sealing Tip

Use for straight asphalt and concrete joints.

PN# 27146 - Sealing tip assembly 1/4"

PN# 27147 - Sealing tip assembly 3/8"



Crafc Round Sealing Tip

Multi-purpose for random cracks and joints. Use with a squeegee for most applications.

PN# 27170 - Sealing tip assembly 3/8"

PN# 27171 - Sealing tip assembly 1/2"



Crafc Sealing Applicator Disk

Used for over banding, great labor saver.

PN# 27162 - 3" Fiber Applicator Disk Assembly

PN# 27163 - 4" Fiber Applicator Disk Assembly

PN# 27164 - 6" Fiber Applicator Disk Assembly

For your local distributor contact:



Crafco TechCrete Bucket
PN # 32263

For transporting TechCrete or PolyPatch material from the Patcher I or Patcher II to the repair area.

Crafco Material Handler
PN# 56375

For handling and distributing and PolyPatch material from the Patcher I or Patcher II to the repair area. Propane heated with material side discharge gate.




Crafco Hand Held Pour Pot
PN# 40201

For application of thin crack sealant to a joint or crack. Gravity feed with shut off lever.

Crafco Pour Pot with Wheels
PN# 40200

Used to apply a uniform band of sealant to a crack or joint. Wheeled for ease of use. Gravity feed with shut off lever.



For your local distributor contact:

Patching Tools Squeegee/Shoebox



CrafcO Ironing Wand w/ 4 ft. 6 in. handle

PN# 32243


Used as a leveling and a warming tool for the proper application of TechCrete.



CrafcO Chute Scrapper w/ 2 ft. handle

PN# 32246


Used for cleaning the chute on the Patcher I and Patcher II.



CrafcO Tank Scrapper w/ 6 ft. handle

PN# 32258

Used for cleaning the Patcher I and Patcher II tanks.



CrafcO Shoebox

PN# 32350 - 8"x 8"x 3"

PN# 32351 - 8"x 10"x 3"

PN# 32352 - 8"x 12"x 3"

PN# 32353 - 8"x 14"x 3"

Used for assisting placement of PolyPatch. Use the size suitable for your application. Fill using the Material Handler or TechCrete Bucket.



CrafcO Squeegee PN# 27199

CrafcO Replacement Blade PN# 27195

Used for leveling crack sealant and where a sealant over band is recommended.

4 in. x 18 in. x 3/8 in. (for PN# 27195)



CrafcO Compact Squeegee PN# 27245

CrafcO Replacement Blade PN#27241

Used for leveling crack sealant and where a sealant over band is recommended.

2 1/2 in. x 17 in. x 3/8 in. (for PN# 27241)

For your local distributor contact:



Crafco Cold Air Lance
PN# 46648

Use this tool in conjunction with an air compressor to blow cracks and joints clean.



Crafco Heat Lance w/ Regulator & Attachments
PN# 32259

Use to dry out, heat and clean cracks for sealant and patch areas for TechCrete application. Requires air compressor and propane supply. Includes regulator and 20 ft. hose.



Crafco Hand Torch w/ 20ft. Hose
PN# 25012

Used where heat is needed on the E-Z Pour 50, Patcher I and Patcher II. Includes 20 ft. hose.



Crafco Heat Lance
PN# 31370

The Crafco Hot Air Lance is designed to clean and dry asphalt or concrete as needed. Requires air compressor and propane supply. Features Auto ignition and includes moisture trap, regulator and 40 ft. hose.

For your local distributor contact:



www.crafco.com

800-528-8242

420 N. Roosevelt Ave. • Chandler, Arizona 85226, USA
Phone 602-276-0406 / Fax: 480-961-0513